




5 TYPES OF WOOD VENEERED PANEL

“At C&D MATERIALS, we are committed to delivering high-quality products, exceptional service, and on-time delivery to ensure complete customer satisfaction”.




Index

- 1** Wood Veneered MDF
- 2** Wood Veneer Faced Plywood
- 3** Wood Veneered Chipboard
- 4** Wood Veneered Blockboard
- 5** Customized Wood Veneered Panels

Wood Veneered MDF



Common Brown MDF



Fire Rated MDF



Moisture Resistant MDF



Black MDF

1

MDF Board Size : 1220x2440mm (4x8 ft), 1220x2750mm (4x9 ft), 1220x3050mm (4x10 ft),

2

MDF Boards Thickness : 2.5mm, 3mm, 5mm, 6mm, 9mm, 12mm, 15mm, 18mm, 20mm, 22mm, 25mm

3

Density : 650-1080KGS/CBM

4

Moisture : 8%-12%

5

Wood Core : Pine, Poplar, Hardwood mixed



Red Oak Veneer



White oak veneer



Walnut Veneer



Teak Veneer




Pine Veneer



Ash Veneer




EV. Oak Veneer



EV. Walnut Veneer



EV. Grey Veneer



EV. Ebony Veneer



EV. Ash Veneer

Contact with our sales team for more options of Wood Veneer, Melamine, HPL, PET

Wood Veneer Faced Plywood




Poplar core Plywood



Eucalyptus Plywood



Marine Plywood



Birch Plywood

1

Plywood Board Size : 1220x2440mm (4x8 ft), 1220x2750mm (4x9 ft), 1220x3050mm (4x10 ft),

2

Plywood Boards Thickness : 2.5mm, 3mm, 5mm, 6mm, 9mm, 12mm, 15mm, 18mm, 20mm, 22mm, 25mm

3

Glue : MR/Melamine/WBP Phenolic

4

Moisture : 8%-12%

5

Wood Core : Poplar, Eucalyptus, Hardwood mixed, Birch



Red Oak Veneer



White oak veneer



Walnut Veneer



Teak Veneer




Pine Veneer



Ash Veneer




EV. Oak Veneer



EV. Walnut Veneer



EV. Grey Veneer



EV. Ebony Veneer



EV. Ash Veneer

Contact with our sales team for more options of Wood Veneer, Melamine, HPL, PET

Wood Veneered Chipboard



Common Chipboard



Fire Rated Chipboard



Moisture Resistant Chipboard



Hollow Core Chipboard

1

Chipboard Size : 1220x2440mm (4x8 ft), 920x2150mm (3x7 ft), customized

2

ChipBoards Thickness : 9mm, 12mm, 15mm, 18mm, 20mm, 25mm, 44mm

3

Glue : CARB P2 / E0 / E1 / E2

4

Moisture : 8%-12%

5

Wood Core : Poplar, Hardwood mixed, Pine



Red Oak Veneer



White oak veneer



Walnut Veneer



Teak Veneer




Pine Veneer



Ash Veneer




EV. Oak Veneer



EV. Walnut Veneer



EV. Grey Veneer



EV. Ebony Veneer



EV. Ash Veneer

Contact with our sales team for more options of Wood Veneer, Melamine, HPL, PET

Wood Veneered Blockboard



Poplar core Blockboard

Pine core Blockboard

Falcata core Blockboard

Fir core Blockboard

1 Blockboard Size : 1220x2440mm (4x8 ft), customized

2 Blockboards Thickness : 12mm, 15mm, 18mm, 20mm, 25mm

3 Glue : CARB P2 / E0 / E1 / E2

4 Moisture : 8%-12%

5 Wood Core : Poplar, Fir, Falcata, Pine



Red Oak Veneer

White oak veneer

Walnut Veneer

Teak Veneer

Pine Veneer

Ash Veneer



EV. Oak Veneer

EV. Walnut Veneer

EV. Grey Veneer

EV. Ebony Veneer

EV. Ash Veneer

Contact with our sales team for more options of Wood Veneer, Melamine, HPL, PET

Customized Wood Veneered Panels



Thick Veneer Faced Board



Milled Wall Board



Customized Wall Board

1

Boards Size : 1220x2440mm (4x8 ft), customized

2

Boards Thickness : 12mm, 15mm, 18mm, 20mm, 25mm

3

Glue : E0 / E1 / E2

4

Top Layer Veneer : 2mm, 3mm, 5mm thick natural/engineered veneers

5

Wood Base : Plywood, MDF



Red Oak Veneer



White oak veneer



Walnut Veneer




Teak Veneer




Pine Veneer



Ash Veneer




EV. Oak Veneer



EV. Walnut Veneer



EV. Grey Veneer



EV. Ebony Veneer



EV. Ash Veneer

Contact with our sales team for more options of Wood Veneer

5 Types of Wood Veneered Panel

- Wood Veneered MDF
- Wood Veneered Plywood
- Wood Veneered Chipboard
- Wood Veneered Blockboard
- Customized Wood Veneered Panels



C&D Materials Limited

Shunda Rd, Luoshe, Huzhou, Zhejiang, 313200 CHINA

TEL: + 86-572-822-9896

MOB: + 86-139-8980-6466

Email : sales@woodenave.com

Website : www.woodenave.com